


makes a difference



POWER MEETS PORTABILITY.


Welcome to the world of high pressure cleaning.



Maximum power in a minimal package.

The HD 7.9/72-4 Cage EC high pressure cleaner delivers 7.9 gallons per minute at a powerful 7,200 PSI. It features a simple on/off dial and automatic pressure relief valve, making it easy to use, while delivering the most powerful cleaning performance in its class for a variety of applications.





1 Pressure relief valve

- Pressure relief valve reduces pressure in the hose so it remains flexible when the trigger gun is closed
- Pressure is built up slowly when pulling the trigger gun to prevent immediate impact on shoulder and cleaning surface
- Protection from pressure spikes during operation

2 Outstanding mobility

- Large wheels and an optimum center of gravity makes transportation easy despite its size
- Crane hook allows simple loading and unloading
- Brakes guarantee safety during operation or transport



Intelligent features

- Standard dry run protection of the pump with indicator light
- Soft-start limits the current during startup preventing pump damage or tripping of circuit breakers
- Large water filter ensures long service life of the pump

4 Ease of use

- On-board storage for all accessories
- Simple operation with one simple on/off dial

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	Max inlet temp	Motor Rating	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 7.9/72-4 Cage Ec	1.367-163.0	7.9	7200	E-Motor 460 V / 60 Hz	140°F	30 kW / 41 HP	Crankshaft	699	51.9 x 29.4 x 43

ACCESSORIES Order No. Description 4.775-824.0 Kärcher industry gun 4.760-679.0 28" spray lance (up to 9,280 PSI) 6.391-847.0 66' pressure hose (up to 8,990 PSI) 5.765-263.0 Flat jet nozzle, 060 □ 2.637-017.0 Add-on kit pre pressure pump 2.639-251.0 Shoulder support □ 4.760-653.0 41" spray lance (up to 9,280 PSI) 4.760-675.0 60" spray lance (up to 9,280 PSI) □ 4.760-677.0 81" spray lance (up to 9,280 PSI) 4.403-004.0 Hose coupling □ 6.391-846.0 33' pressure hose (up to 8,990 PSI) □ 6.391-019.0 100' pressure hose (up to 8,990 PSI) □ 2.113-073.0 Flat jet nozzle, 075 (5,075 PSI) П 2.113-075.0 Flat jet nozzle, 095 (3,625 PSI) □ 2.113-077.0 Flat jet nozzle, 120 (2,175 PSI) □ 5.765-264.0 Point jet nozzle, 060 □ 2.113-074.0 Point jet nozzle, 075 (5,075 PSI) □ 2.113-076.0 Point jet nozzle, 095 (3,625 PSI) □ 2.113-078.0 Point jet nozzle, 120 (2,175 PSI) 6.415-060.0 F9 power rotary jet (7,200 PSI) □ 6.025-526.0 F9 power rotary jet repair kit 6.025-233.0 Tool for changing rotor seat □ 6.392-401.0 33' pipe cleaning hose □ 6.392-402.0 66' pipe cleaning hose □ 6.392-403.0 100' pipe cleaning hose 6.470-223.0 Foot valve □ 6.025-527.0 Pipe cleaning nozzle, Standard 060 Pipe cleaning nozzle, Quattro 060 6.025-528.0 □ 6.025-529.0 Pipe cleaning nozzle, Rotary 060 6.025-257.0 Mounting tool for nozzle kit □ 9.917-716.0 Abrasive blaster □ 9.886-552.0 F98 3-nozzle kit for abrasive blaster □ 6.025-308.0 Abrasive material hose □ 6.025-258.0 Suction lance □ 5.401-325.0 Adapter M20 to UNF 2.643-577.0 FRI 50 Me industrial surface cleaner, 20" (7,200 PSI) Nozzle kit for FRI 50 Me □ 6.415-059.0

■ Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone888-805-9852Fax800-248-8409

www.karcher.com/us